



FIG. 1



09685859 " 101100

FIG. 3



09685859 101100

FIG. 4A

41

SETTING OF SEAL-IMAGE PERSON INFORMATION

EMPLOYEE NUMBER :

SEAL NAME :

FIG. 4B

43

REGISTRATION OF SEAL IMAGE

NAME : JOB TITLE :

SEAL SHAPE :

SEAL SIZE :

45





FIG. 5



09685859 101100

FIG. 6A

09685859 " 101100

FIG. 6A illustrates a software interface for executing a seal stamp. On the left, a rectangular area labeled "STAMP" (63) is shown. To its right is a dialog box titled "EXECUTION OF SEAL STAMP" (61). The dialog box contains the instruction "STAMP YOUR SEAL IN THE SELECTED AREA". It features an "EMPLOYEE NUMBER" field with a numeric keypad (1-0), a "SEAL NAME" field, and a "PRIVATE KEY" field with a masked input (asterisks). Below these fields is a checkbox labeled "CONFIRM WHEN YOUR DOCUMENT IS DISPLAYED". At the bottom of the dialog box are two buttons: "STAMP" and "CANCEL".

FIG. 6B

FIG. 6B illustrates a software interface for confirming a stamped seal. On the left, a rectangular area labeled "STAMP" (67) is shown, containing a circular seal with the text "DEVELOPMENT SECTION MANAGER", "03. 03. 98", and "FUJI". To its right is a dialog box titled "CONFIRMATION OF STAMPED SEAL" (65). The dialog box contains the instruction "STAMPED YOUR SEAL IN THE SELECTED AREA". At the bottom of the dialog box are two buttons: "OK" and "CANCEL".

FIG. 7




FIG. 8A




FIG. 8B





FIG. 9



09685859 10.1.00

FIG. 10A

